County and District Data from the 2012 Maine State Health Assessment

Downeast District

Updated 5/20/2013

| | Hancock | Washington | District | Maine | |
|--|---------|------------|----------|-------|---------|
| Indicators from the "2010 Call to District Action" | County | County | Rate | Rate | US Rate |
| General health status | | • | | | |
| Fair or poor health - adults | 11.4% | 25.0% | 16.4% | 14.7% | 14.9% |
| Average number of unhealthy days in the past month (physical health) | 3.4 | 4.4 | 3.8 | 3.8 | NA |
| Average number of unhealthy days in the past month (mental health) | 3.8 | 4.4 | 4.0 | 3.7 | NA |
| Access | | | | | |
| Proportion of persons with a usual primary care provider | 85.1% | 85.7% | 85.3% | 88.4% | NA |
| No dental care in past year | 28.9% | 45.2% | 34.9% | 32.4% | NA |
| Physical Activity, Nutrition and Weight | | | | | |
| Obesity - adults | 27.0% | 36.0% | 30.3% | 27.7% | 27.5% |
| Obesity - high school students | 12.9% | 14.0% | 13.4% | 12.9% | NA |
| Overweight - high school students | 14.2% | 15.6% | 14.8% | 15.5% | NA |
| Sedentary lifestyle - adults | 24.0% | 32.0% | 27.0% | 22.5% | 23.9% |
| Cardiovascular Health | | | | | |
| High blood pressure | 30.4% | 29.2% | 30.0% | 30.0% | 28.7% |
| High cholesterol | 42.9% | 40.1% | 42.0% | 38.8% | 37.5% |
| Diabetes | | | | | |
| Diabetes - adults | 7.8% | 12.0% | 9.3% | 8.7% | 8.7% |
| Adults with diabetes who have had a A1c test 2x per year | NA | NA | 78.4% | 79.5% | NA |
| Diabetes hospitalizations per 100,000 population (principal diagnosis) | 116.6 | 154.2 | 130.9 | 118.4 | NA |
| Respiratory | | | | | |
| Current asthma - adults | 10.0% | 15.7% | 12.1% | 10.0% | 9.1% |
| Current asthma - children and youth (ages 0-17) | 7.3% | 11.3% | 8.9% | 8.9% | NA |
| Bronchitis and Asthma ED visits per 100,000 population | 1,297 | 1,732 | 1,463 | 1,105 | NA |
| COPD hospitalizations per 100,000 population | 170.4 | 254.5 | 203.1 | 198.3 | NA |
| Tobacco Use | | | | | |
| Current smoking - high school students | 14.2% | 21.9% | 17.0% | 15.5% | NA |
| Current smoking - adults | 16.4% | 23.1% | 18.9% | 18.2% | 17.2% |
| Alcohol Use | | | | | |
| Binge drinking - adults | 16.5% | 13.4% | 15.4% | 14.5% | 15.1% |
| Current alcohol use - high school students | 22.9% | | 24.4% | 28.0% | NA |
| Infectious Disease | | | | | |
| Influenza Vaccine Coverage - Ages 18 Years and Older | 43.2% | 47.1% | 44.6% | 47.1% | NA |
| Pneumococcal Vaccination Coverage - Ages 65 Years & Older | 69.9% | 65.2% | 68.3% | 71.8% | 68.8% |

For a number of reasons, several indicators from the "2010 Call to District Action" were not analyzed for the 2012 State Health Assessment, and therefore are not included in this update, including: adult asthma hospitalizations, bacterial pneumonia hospitalizations, congestive heart failure hospitalizations, hypertension hospitalizations, diabetes short and long term complication hospitalizations, uncontrolled diabetes hospitalizations, the rate of lower-extremity amputation among patients with diabetes, the percent of adults with greater than 14 days of frequent mental distress, and the number of visit to KeepME Well.org

| Demographics | | | | | |
|---|--------|---------|---------|-----------|-----------|
| Population | 54,418 | 32,856 | 87,274 | 1,328,361 | 3.08 mil. |
| Population ages 0-17 | 9,977 | 6,564 | 16,541 | 274,533 | 0.74 mil. |
| Population ages 65-74 | 5,463 | 3,524 | 8,987 | 112,651 | 0.21 mil. |
| Population ages 75+ | 4,474 | 2,902 | 7,376 | 98,429 | 0.17 mil. |
| Population Density | 34.3 | 12.8 | 21.0 | 43.1 | 87.4 |
| Population - White, non-Hispanic | 96.2% | 91.3% | 95.6% | 94.4% | 63.7% |
| Population - Hispanic | 1.1% | 1.4% | 1.2% | 1.3% | 16.3% |
| ropulation - Hispanic | (594) | (452) | (1,046) | | |
| Denulation Two or more races | 1.2% | 1.7% | 1.4% | | |
| Population - Two or more races | (633) | (558) | (1,191) | 1.6% | 2.9% |
| Population - American Indian or Alaska Native | 0.4% | 4.9% | 2.1% | 0.69/ | 0.00/ |
| | (220) | (1,603) | (1,823) | 0.6% | 0.9% |

| Other Key Health Indicators from the 2012 Maine State Health | Hancock | Washington | District | Maine | |
|---|-----------|------------|----------|--------|--------------|
| Assessment | County | County | Rate | Rate | US Rate |
| Life expectancy in years (M/F, for 2007) | 76.0/81.3 | 73.1/80.1 | NA | 78.7 | 78.6 |
| Oral Health | · | · | | | |
| Tooth loss to gum disease or tooth decay (6 or more) - adults | 16.1% | 28.8% | 20.8% | 19.7% | NA |
| Maternal and Child Health | | | | | |
| Low Birth weight, <2500 grams per 100,000 births | 5.8 | 5.3 | 5.6 | 6.4 | 8.2 |
| Infant death per 100,000 births | 3.9 | 4.7 | 4.2 | 6.1* | 6.4* |
| Live births, for which the mother received early & adequate prenatal care | 87.7% | 83.1% | 85.9% | 85.4% | NA |
| Teen birth rate per 1,000 females aged 15-19 | 23.2 | 38.2 | 29.2 | 24.9 | 34.2 |
| Injury | 23.2 | 30.2 | 23.2 | 2 1.5 | 32 |
| Suicide deaths per 100,000 population | 11.6 | 9.8 | 10.9 | 12.6 | 11.8* |
| Violence by current or former intimate partners | NA | NA | 0.5% | 1.0%* | NA |
| Rape or attempted rape | 6.0% | 8.6% | 7.0% | 11.9%* | NA |
| Non-fatal child maltreatment per 1,000 population | 10.9 | 12.8 | 11.7 | 11.9 | 9.2 |
| Motor vehicle crash related deaths per 100,000 population | 15.5 | 23.8 | 18.6 | 12.5 | 11.1* |
| Unintentional poisoning deaths per 100,000 population | 11.9 | 17.2 | 13.9 | 11.4 | 11.8 |
| Emergency department visits due to falls among older adults per 100,000 | | | | | |
| population | 7,900 | 6,620 | 7,356 | 7,325 | NA |
| TBI Hospitalizations per 100,000 population | 89.7 | 85.0 | 87.7 | 82.3 | NA |
| Cancer | | | | | |
| Sigmoid/colonoscopy (ever) - people age 50 & over | 72.6% | 67.8% | 70.9% | 74.2% | 65.2% |
| Mammograms in past two years - women age 50 & over | 81.7% | 86.1% | 83.3% | 83.6% | 77.9% |
| Pap smears in past three years - women age 18 & over | 86.0% | 79.9% | 83.9% | 85.0% | 85.0% |
| Mortality - all cancers per 100,000 population | 205.4 | 215.3 | 209.0 | 196.0 | 175.8* |
| Incidence - all cancers per 100,000 population | 516.8 | 562.8 | 534.3 | 496.7 | 456.4* |
| Mental Health | | | | | |
| Co-morbidity for persons with mental illness | NA | NA | 60.6% | NA | NA |
| Lifetime depression - adults | 23.0% | 21.6% | 22.5% | 21.1%* | NA |
| Lifetime anxiety - adults | 17.1% | 24.5% | 19.8% | 17.3%* | NA |
| Alzheimer's disease, dementia & related disorders per 1,000 population | 12.5 | 9.8 | 11.4 | 12.0 | NA |
| Environmental Health | | | | | |
| Homes with elevated radon | 18.6% | 7.5% | 14.9% | 14.8%* | NA |
| Homes with private wells tested for arsenic | 54.2% | 34.3% | 47.5% | NA | NA |
| Children with elevated blood lead levels per 10,000 population | 0.5 | 0.9 | 0.7 | 1.0 | 0.6* |
| Carbon monoxide poisoning ED visits per 100,000 population | 10.3 | 7.1 | 9.1 | 9.9 | NA |
| Infectious Disease | 10.5 | 7.1 | ٦.١ | 3.3 | |
| Chronic Hepatitis B per 100,000 population | 3.7 | 6.1 | 4.6 | 7.9 | NA |
| Lyme disease incidence per 100,000 population | 78.8 | 36.8 | 63.1 | 75.7 | 7.9 |
| Salmonellosis incidence per 100,000 population | 1.8 | 3.1 | 2.3 | 10.1 | 17.6 |
| Pertussis Incidence per 100,000 population | 18.3 | 3.1 | 12.6 | 15.4 | 8.9 |
| Gonorrhea incidence per 100,000 population | 1.8 | 24.5 | 10.3 | 20.5 | 100.8 |
| Chlamydia incidence per 100,000 population | 174.1 | 254.3 | 204.1 | 232.9 | 426.0 |
| HIV incidence per 100,000 population | 1.8 | 0.0 | 1.1 | 4.1 | 19.7 |
| | | | | | 25 |
| Additional Socio-Economic Status measures | | | | | |
| People who speak English less than very well, >5 years | 0.6% | 0.9% | 0.7% | 1.7% | 8.7% |
| Poverty - total under 100% of the Federal Poverty Level | 11.5% | 19.8% | 14.7% | 12.6% | 13.8% |
| No current health insurance | 15.1% | 13.6% | 14.5% | 10.2% | 15.0% |
| Unemployment | 8.6% | 10.7% | 9.3% | 7.5% | 8.9% |
| High school graduation rate, 2011 | 82.8% | 79.8% | 81.8% | 83.8% | NA 15 00/ |
| Persons 25 and older with less than a HS education | 9.0% | 14.8% | 11.2% | 10.2% | 15.0% |
| Disability status | 15.9% | 23.0% | 18.6% | 15.7% | 12.0% |
| Veterans Status | 13.2% | 15.5% | 14.1% | 13.2% | 9.9% |
| 65+ living alone | 30.3% | 32.4% | 31.1% | 29.8% | 27.3% |

District Data from the 2012 Maine State Health Assessment, Including Updates to the "2010 Call to District Action"

NA = not available

Orange = significantly worse than Maine

Green = significantly better than Maine

| Indicator | Data source | Year(s) | Other notes |
|---|-------------|-----------|--|
| General health status | | | |
| Fair or poor health - adults | BRFSS | 2010 | |
| Average number of unhealthy days in the past month (physical health) | BRFSS | 2010 | Some reports analyze this question by the percent of people |
| Average number of unhealthy days in the past month (mental health) | BRFSS | 2010 | with =>11 or =>14 unhealthy days |
| Access | | | |
| Proportion of persons with a usual primary care provider | BRFSS | 2010 | Self-reported (someone you think of as your personal doctor or health care provider) |
| No dental care in past year | BRFSS | 2010 | Includes any dental care, preventive or otherwise |
| Physical Activity, Nutrition and Weight | | | |
| Obesity - adults | BRFSS | 2010 | Self-reported, based on BMI |
| Obesity - high school students | MIYHS | 2011 | Self-reported, based on BMI |
| Overweight - high school students | MIYHS | 2011 | Self-reported, based on BMI |
| Sedentary lifestyle - adults | BRFSS | 2010 | No leisure-time physical activity |
| Cardiovascular Health | | | |
| High blood pressure | BRFSS | 2009 | |
| High cholesterol | BRFSS | 2009 | |
| Diabetes | | | |
| Diabetes - adults | BRFSS | 2010 | |
| Adults with diabetes who have had a A1c test 2x per | BRFSS | 2008-2010 | 3 years of data aggregated |
| Diabetes hospitalizations per 100,000 population (principal diagnosis) | MHDO | 2007-2009 | 3 years of data aggregated |
| Respiratory | | | |
| Current asthma - adults | BRFSS | 2010 | |
| Current asthma - children and youth (ages 0-17) | BRFSS | 2006-2010 | |
| Bronchitis and Asthma ED visits per 100,000 population | MHDO | 2009 | |
| COPD (Chronic Obstructive Pulmonary Disease) hospitalizations per 100,000 population | MHDO | 2007-2009 | 3 years of data aggregated |
| Tobacco Use | | | |
| Smoking - high school students | MIYHS | 2011 | |
| Current smoking - adults | BRFSS | 2010 | |
| Alcohol Use | | | |
| Binge drinking - adults | BRFSS | 2010 | |
| Alcohol use - high school students | MIYHS | 2011 | |
| Infectious Disease | | | |
| Influenza Vaccine Coverage - Ages 18 Years and Older | BRFSS | 2010 | In the last 12 months |
| Pneumococcal Vaccination Coverage - Ages 65 Years & Older | BRFSS | 2010 | Ever |

^{*}Some state and national data is only available by a single year, where as the county and public health district data is for several years aggregated.

| Demographics | | | |
|---|-----------|------|--|
| Population | US Census | 2010 | |
| Population ages 0-17 | US Census | 2010 | |
| Population ages 65-74 | US Census | 2010 | |
| Population ages 75+ | US Census | 2010 | |
| Population Density (people per square mile of land) | US Census | 2010 | |
| Population - White, non-Hispanic | US Census | 2010 | |
| Population - Hispanic | US Census | 2010 | |
| Population - Two or more races | US Census | 2010 | |

| Kaiser Family Foundation | 2007 | Only sex-specific data is available for county and public health districts |
|---|---|---|
| | | |
| BRFSS | 2010 | |
| | | |
| Maine DRVS | 2008-2010 | 3 years of data aggregated |
| Maine DRVS | 2000-2009 | 10 years of data aggregated |
| Maine DRVS | 2008-2010 | 3 years of data aggregated - Kotelchuck scale (adequate and adequate plus scores) |
| Maine DRVS | 2006-2010 | 5 years of data aggregated |
| | | |
| Maine DRVS | | 5 years of data aggregated |
| BRFSS | 2007, 2008, 2010 | 3 years of data aggregated |
| BRFSS | 2006, 2009 | 2 years of data aggregated |
| US DHHS ACF, ACYF, Children's Bureau | 2010 | Maine DHHS provides information to US DHHS |
| Maine DRVS | 2005-2009 | 5 years of data aggregated |
| Maine DRVS | 2005-2009 | 5 years of data aggregated |
| MHDO | 2009 | |
| MHDO | 2007-2009 | 3 years of data aggregated |
| | | |
| BRFSS | 2010 | |
| BRFSS | 2010 | |
| BRFSS | 2010 | |
| Maine Cancer Registry | 2004-2008 | 5 years of data aggregated |
| Maine Cancer Registry | 2007-2009 | 3 years of data aggregated |
| | Maine DRVS Maine DRVS Maine DRVS Maine DRVS Maine DRVS Maine DRVS BRFSS BRFSS US DHHS ACF, ACYF, Children's Bureau Maine DRVS Maine DRVS Maine DRVS Maine DRVS Maine DRVS Maine DRVS Maine DRVS MHDO MHDO BRFSS BRFSS BRFSS BRFSS Maine Cancer Registry | BRFSS 2010 Maine DRVS 2008-2010 Maine DRVS 2000-2009 Maine DRVS 2008-2010 Maine DRVS 2006-2010 Maine DRVS 2007, 2008, 2010 BRFSS 2006, 2009 US DHHS ACF, ACYF, Children's Bureau 2010 Maine DRVS 2005-2009 MHDO 2009 MHDO 2007-2009 BRFSS 2010 BRFSS 2010 Maine Cancer Registry 2004-2008 |

| Mental Health | | | |
|--|---|---------------------|--|
| Co-morbidity for persons with mental illness | BRFSS | 2009 | People who report ever being diagnosed with depression or anxiety AND have diabetes, asthma or hypertension; County data suppressed due to small numbers |
| Lifetime depression - adults | BRFSS | 2010 | |
| Lifetime anxiety - adults | BRFSS | 2010 | |
| Alzheimer's disease, dementia & related disorders per 1,000 population | Maine All Payer Claims Database (MHDO) | 2006 | Medicare data is not available for more recent years |
| Environmental Health | | | |
| Homes with elevated radon | BRFSS | 2006,2009 & 2010 | 3 years of data aggregated |
| Homes with private wells tested for arsenic | BRFSS | 2009 | County data suppressed due to small numbers |
| Children with elevated blood lead levels per 10,000 population | Maine Lead Poisoning Prevention Program | 2006-2010 | 5 years of data aggregated |
| Carbon monoxide poisoning ED visits per 100,000 population | MHDO | 2005-2009 | 5 years of data aggregated |
| Infectious Disease | | | |
| Chronic Hepatitis B per 100,000 population | Maine CDC HIV/STD/Viral Hepatitis Program | 2011 | |
| Lyme disease incidence per 100,000 population | Maine CDC Infectious Disease Epidemiology Program | 2011 | |
| Salmonellosis incidence per 100,000 population | Maine CDC Infectious Disease Epidemiology Program | 2011 | |
| Pertussis Incidence per 100,000 population | Maine CDC Infectious Disease Epidemiology Program | 2011 | |
| Gonorrhea incidence per 100,000 population | Maine CDC Infectious Disease Epidemiology Program | 2011 | |
| Chlamydia incidence per 100,000 population | Maine CDC HIV/STD/Viral Hepatitis Program | 2011 | |
| HIV incidence per 100,000 population | Maine CDC HIV/STD/Viral Hepatitis Program | 2011 | |

| Additional Socio-Economic Status measures | | | |
|--|-----------|-----------|--|
| People who speak English less than very well, >5 years | US Census | 2006-2010 | |
| Poverty - total under 100% of the Federal Poverty Level | US Census | 2006-2010 | |
| No current health insurance | US Census | 2008-2010 | |
| Unemployment | US BLS | 2010 | |
| HS graduation rate, 2011 | Maine DOE | 2011 | |
| Persons 25 and older with less than a HS education | US Census | 2006-2010 | |
| Disability status | US Census | 2008-2010 | |
| Veterans Status | US Census | 2006-2010 | |
| 65+ living alone | US Census | 2010 | |

BRFSS = Behavioral Risk Factor Surveillance System

Maine DOE = Maine Department of Education

Maine DRVS = Maine CDC Data Research and Vital Statistics (birth and death records)

MHDO = Maine Health Data Organization (inpatient and outpatient hospital records)

MIYHS = Maine integrated Youth Health Survey

US BLS = United States Bureau of Labor Statistics

US Census = United States Census, some data is from the American Community Survey, other data is drawn from American Fact Finder

US DHHS ACF, ACYF = US Department of health and Human Services, Administration for Children and Families, Administration for Children Youth and Families